

PRODUCT CATALOGUE **2017**
THE BEST SHOOTING GEAR

AIRSOFT WAR GAME



AIR GUN SERIES
AAKCMB 483

AIR SOFT SERIES
AAKCCB 483



NEW PRODUCT



With 3 sizes



AIR GUN SERIES
AAKCMB 482

AIR SOFT SERIES
AAKCCB 482



NEW PRODUCT



With 3 sizes

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMB483AZB	BLOWBACK	760g	214 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	15 rds.	4.5mm (0.177")	AAKCM483AZQ
AAKCCB483AZB	BLOWBACK	760g	214 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM483AZQ
AAKCMB482AZB	BLOWBACK	730g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	4.5mm (0.177")	AAKCM482AZQ
AAKCCB482AZB	BLOWBACK	730g	194 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM482AZQ



K08-00775

KIEN WELL TOY INDUSTRIAL CO., LTD
NO.89, LN. 168, YILIN RD.,
RENDE DIST, TAINAN CITY
71752, TAIWAN (R.O.C.)
TEL:+886-6-2798175
FAX:+886-6-2798176
sales@kwgun.com

KWC®
SINCE 1978
Excellence in Innovation



AIR GUN SERIES
AAKCPD 681

6 inch

NEW PRODUCT

NEW PRODUCT

4 inch

AIR GUN SERIES
AAKCPD 671

NEW PRODUCT

AIR GUN SERIES
AAKCPD 661

2.5 inch



NEW PRODUCT



AIR GUN SERIES
AAKCPD 761

NON BLOW BACK
HOP UP FIXED



AIRGUN PELLETS

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCPD681AZB	SWING OUT	1050g	285 mm	3 Joule	110 m/s	FULL METAL	8 pellet	45mm(0.177")	AAKCPW681AZL
AAKCPD671AZB	SWING OUT	950g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	8 pellet	45mm(0.177")	AAKCPW681AZL
AAKCPD661AZB	SWING OUT	865g	200 mm	1.2 Joule Max	86 m/s Max	FULL METAL	8 pellet	45mm(0.177")	AAKCPW681AZL
AAKCPD761AZB	NON-BLOWBACK	890g	218 mm	2.5 Joule	100 m/s	FULL METAL	6X2 pellet	45mm(0.177")	AAKCP761AZQ

NEW PRODUCT

BLOW BACK

HOP UP ADJUST

AIR GUN SERIES
AAKCMB 460

AIR SOFT SERIES
AAKCCB 460



AIR GUN SERIES
AAKCMF 230

AIR SOFT SERIES
AAKCCF 230

BLOW BACK

HOP UP ADJUST

FULL AUTO



BLOW BACK

HOP UP ADJUST

AIR GUN SERIES
AAKCMB 480

AIR SOFT SERIES
AAKCCB 480



With 3 sizes

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMB460AZB	BLOWBACK	815g	185 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	16 rds.	45 mm(0.177")	AAKCCM460AZQ
AAKCCB460AZB	BLOWBACK	795g	185 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	16 rds.	6 mm(0.2g)	AAKCCM460AZQ
AAKCMF230AZB	BLOWBACK	1180g	216 mm	1.5 Joule Max	95 m/s Max	FULL METAL	17 rds.	45mm(0.177")	AAKCCM230AZQ
AAKCCF230AZB	BLOWBACK	1065g	216 mm	1.2 Joule Max	110 m/s Max	FULL METAL	22 rds.	6 mm(0.2g)	AAKCCM230AZQ
AAKCMB480AZB	BLOWBACK	720g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	45 mm(0.177")	AAKCCM480AZQ
AAKCCB480AZB	BLOWBACK	715g	194 mm	1.4 Joule Max	117 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCM480AZQ

AIR GUN SERIES
AAKCMB 440

AIR SOFT SERIES
AAKCCB 440



AIR GUN SERIES
AAKCMB 740



AIR SOFT SERIES
AAKCCB 740



AIR GUN SERIES
AAKCMF 410

AIR SOFT SERIES
AAKCCB 410



AIR GUN SERIES
AAKCMF 180

AIR SOFT SERIES
AAKCCF 180



NEW PRODUCT



AIR GUN SERIES
AAKCMB 210

AIR SOFT SERIES
AAKCCB 210



NEW PRODUCT



AIR GUN SERIES
AAKCMB 190

AIR SOFT SERIES
AAKCCB 190



AIR GUN SERIES
AAKCMF 220

AIR SOFT SERIES
AAKCCF 220



NEW PRODUCT



AIR SOFT SERIES
AAKCCF 200

AIR GUN SERIES
AAKCMF 200

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMB440AZB	BLOWBACK	730g	160 mm	1.5 Joule Max	92 m/s Max	FULL METAL	15 rds.	4.5mm (0.177")	AAKCM440AZQ
AAKCB440AZB	BLOWBACK	730g	160 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	6 mm (0.2g)	AAKCCM440AZQ
AAKCMB740AZB	BLOWBACK	1250g	225 mm	1.4 Joule Max	89 m/s Max	FULL METAL	19 rds.	4.5mm (0.177")	AAKCM740AZQ
AAKCB740AZB	BLOWBACK	1250g	225 mm	1.6 Joule Max	126 m/s Max	FULL METAL	22 rds.	6 mm (0.2g)	AAKCCM740AZQ
AAKCMB10AZB	BLOWBACK	830g	220 mm	1.6 Joule Max	95 m/s Max	FULL METAL	20 rds.	4.5mm (0.177")	AAKCM410AZQ
AAKCB10AZB	BLOWBACK	830g	220 mm	1.3 Joule Max	113 m/s Max	FULL METAL	15 rds.	6 mm (0.2g)	AAKCCM410AZQ
AAKCMF180AZB	BLOWBACK	1400g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	4.5mm (0.177")	AAKCM180AZQ
AAKCF180AZB	BLOWBACK	1400g	300 mm	1.7 Joule Max	130 m/s Max	FULL METAL	22 rds.	6 mm (0.2g)	AAKCCM180AZQ

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMB210AZB	BLOWBACK	765g	205 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	AAKCM210AZQ
AAKCB210AZB	BLOWBACK	745g	205 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM210AZQ
AAKCMB190AZB	BLOWBACK	765g	205 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	AAKCM210AZQ
AAKCB190AZB	BLOWBACK	745g	205 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM210AZQ
AAKCMF220AZB	BLOWBACK	765g	205 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	AAKCM220AZQ
AAKCF220AZB	BLOWBACK	740g	205 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM220AZQ
AAKCMF200AZB	BLOWBACK	765g	205 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	17 rds.	4.5mm (0.177")	AAKCM220AZQ
AAKCF200AZB	BLOWBACK	740g	205 mm	1.2 Joule Max	110 m/s Max	METAL SLIDE	15 rds.	6 mm (0.2g)	AAKCCM220AZQ



MODEL	CYLINDER	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMD682BZ	SWING OUT	1100g	285 mm	2.5 Joule	120 m/s	FULL METAL	6 rds.	45mm (0.177")	AAKCMW681AZL
AAKCMD681AZB	SWING OUT	1100g	285 mm	2.5 Joule	120 m/s	FULL METAL	6 rds.	45mm (0.177")	AAKCMW681AZL
AAKCCD681AZB	SWING OUT	1100g	285 mm	2.5 Joule	158 m/s	FULL METAL	6 rds.	6 mm (0.2g)	AAKCCW681AZL
AAKCMD671AZB	SWING OUT	950g	235 mm	2.0 Joule Max	109 m/s Max	FULL METAL	6 rds.	45mm (0.177")	AAKCMW681AZL
AAKCCD671AZB	SWING OUT	950g	235 mm	1.7 Joule Max	134 m/s Max	FULL METAL	6 rds.	6 mm (0.2g)	AAKCCW681AZL
AAKCMD661AZB	SWING OUT	900g	200 mm	1.3 Joule Max	86 m/s Max	FULL METAL	6 rds.	45mm (0.177")	AAKCMW681AZL
AAKCCD661AZB	SWING OUT	900g	200 mm	1.4 Joule Max	118 m/s Max	FULL METAL	6 rds.	6 mm (0.2g)	AAKCCW681AZL



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCCB510AZB	BLOWBACK	1060g	270 mm	1.6 Joule Max	126 m/s Max	METAL SLIDE	22 rds.	6 mm (0.2g)	AAKCCM510AZQ
AAKCCF510AZB	BLOWBACK	1060g	270 mm	1.6 Joule Max	126 m/s Max	METAL SLIDE	22 rds.	6 mm (0.2g)	AAKCCM510AZQ
AAKCCB510BZ	BLOWBACK	1060g	270 mm	1.6 Joule Max	126 m/s Max	METAL SLIDE	22 rds.	6 mm (0.2g)	AAKCCM510AZQ
AAKACZ510AZB	SPRING COCKING	895g	270 mm	0.5 Joule Max	73 m/s Max	HALF METAL	26 rds.	6 mm (0.2g)	AAKACS510AZQ
AAKCMB120AZB	BLOWBACK	875g	200 mm	1.7 Joule Max	97 m/s Max	METAL SLIDE	19 rds.	45mm (0.177")	AAKCCM120AZQ
AAKCCB120AZB	BLOWBACK	855g	200 mm	1.4 Joule Max	120 m/s Max	METAL SLIDE	22 rds.	6 mm (0.2g)	AAKCCM120AZQ
AAKCMF150AZB	BLOWBACK	1100g	215 mm	1.7 Joule Max	99 m/s Max	FULL METAL	19 rds.	45mm (0.177")	AAKCCM150AZQ
AAKCCF150AZB	BLOWBACK	1080g	215 mm	1.6 Joule Max	127 m/s Max	FULL METAL	26 rds.	6 mm (0.2g)	AAKCCM150AZQ

AIR GUN SERIES
AAKCMD 431



AIR SOFT SERIES
AAKCCD 431



AIR GUN SERIES
AAKCMD 461

AIR SOFT SERIES
AAKCCD 461



GUN SPRING SERIES
AAKACZ 460



AIR GUN SERIES
AAKCMD 471



AIR SOFT SERIES
AAKCCD 471



AIR GUN SERIES
AAKCMD 481

AIR SOFT SERIES
AAKCCD 481

GUN SPRING SERIES
AAKACZ 470



GUN SPRING SERIES
AAKACZ 480



AIR GUN SERIES
AAKCMD 451



AIR SOFT SERIES
AAKCCD 451



AIR GUN SERIES
AAKCMD 441

AIR SOFT SERIES
AAKCCD 441



AIR GUN SERIES
AAKCMD 401



AIR SOFT SERIES
AAKCCD 401



AIR GUN SERIES
AAKCMD 421



AIR SOFT SERIES
AAKCCD 421



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMD431AZB	NON-BLOWBACK	800g	205 mm	2.5 Joule	120 m/s	METAL SLIDE	21 rds.	4.5mm (0.177")	AAKCMS431AZO
AAKCCD431AZB	NON-BLOWBACK	800g	205 mm	1.8 Joule Max	136 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCS431AZO
AAKCMD461AZB	NON-BLOWBACK	725g	181 mm	2.5 Joule	120 m/s	METAL SLIDE	21 rds.	4.5 mm (0.177")	AAKCMS461AZO
AAKCCD461AZB	NON-BLOWBACK	710g	181 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCS461AZO
AAKCMD471AZB	NON-BLOWBACK	755g	190 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	4.5mm (0.177")	AAKCMS471AZO
AAKCCD471AZB	NON-BLOWBACK	755g	190 mm	1.6 Joule Max	127 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCS471AZO
AAKCMD481AZB	NON-BLOWBACK	710g	195 mm	2.4 Joule Max	120 m/s Max	METAL SLIDE	20 rds.	4.5 mm (0.177")	AAKCMS481AZO
AAKCCD481AZB	NON-BLOWBACK	710g	195 mm	1.6 Joule Max	127 m/s Max	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCS481AZO
AAKACZ460AZA	SPRING COCKING	580g	180 mm	0.6 Joule Max	75 m/s Max	FULL ABS	25 rds.	6 mm(0.2g)	AAKACS460AZ1I
AAKACZ470AZA	SPRING COCKING	600g	190 mm	0.6 Joule Max	75 m/s Max	FULL ABS	25 rds.	6 mm(0.2g)	AAKACS470AZ1I
AAKACZ480AZA	SPRING COCKING	600g	195 mm	0.6 Joule Max	75 m/s Max	FULL ABS	25 rds.	6 mm(0.2g)	AAKACS480AZ1I

MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMD441AZB	NON-BLOWBACK	800g	160 mm	2.5 Joule	120 m/s	FULL METAL	18 rds.	4.5mm (0.177")	AAKCMS441AZO
AAKCCD441AZB	NON-BLOWBACK	800g	160 mm	1.6 Joule Max	127 m/s Max	FULL METAL	13 rds.	6 mm(0.2g)	AAKCCS441AZO
AAKCMD451AZB	NON-BLOWBACK	840g	195 mm	2.5 Joule	120 m/s	FULL METAL	15 rds.	4.5mm (0.177")	AAKCMS451AZO
AAKCCD451AZB	NON-BLOWBACK	830g	195 mm	2.2 Joule Max	148 m/s Max	FULL METAL	15 rds.	6 mm(0.2g)	AAKCCS451AZO
AAKCMD401AZB	NON-BLOWBACK	835g	220 mm	2.5 Joule	120 m/s	METAL SLIDE	21 rds.	4.5mm (0.177")	AAKCMS401AZO
AAKCCD401AZB	NON-BLOWBACK	835g	220 mm	2.5 Joule	158 m/s	METAL SLIDE	15 rds.	6 mm(0.2g)	AAKCCS401AZO
AAKCMD421AZB	NON-BLOWBACK	1070g	223 mm	2.5 Joule	120 m/s	METAL SLIDE	20 rds.	4.5mm (0.177")	AAKCMS421AZO
AAKCCD421AZB	NON-BLOWBACK	1070g	223 mm	2.5 Joule	158 m/s	METAL SLIDE	14 rds.	6 mm(0.2g)	AAKCCS421AZO

AIR GUN SERIES
AAKCMB 760



AIR SOFT SERIES
AAKCCB 760



AIR GUN SERIES
AAKCMB 770



AIR SOFT SERIES
AAKCCB 770



AIR GUN SERIES
AAKCMB 890

AIR SOFT SERIES
AAKCCB 890



AIR GUN SERIES
AAKCMB 880



AIR SOFT SERIES
AAKCCB 880



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKCMB760AZB	BLOWBACK	900g	218 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	4.5 mm (0.177")	AAKCM760AZQ
AAKCCB760AZB	BLOWBACK	895g	218 mm	1.4 Joule Max	120 m/s Max	FULL METAL	14 rds.	6 mm (0.2g)	AAKCCM760AZQ
AAKCMB770AZB	BLOWBACK	925g	220 mm	1.6 Joule Max	97 m/s Max	FULL METAL	17 rds.	4.5 mm (0.177")	AAKCM770AZQ
AAKCCB770AZB	BLOWBACK	900g	218 mm	1.4 Joule Max	120 m/s Max	FULL METAL	14 rds.	6 mm (0.2g)	AAKCCM770AZQ
AAKCMB890AZB	BLOWBACK	1250g	279 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	4.5 mm (0.177")	AAKCM890AZQ
AAKCCB890AZB	BLOWBACK	1250g	279 mm	1.4 Joule Max	120 m/s Max	FULL METAL	17 rds.	6 mm (0.2g)	AAKCCM890AZQ
AAKCMB880AZB	BLOWBACK	1150g	215 mm	1.4 Joule Max	89 m/s Max	FULL METAL	17 rds.	4.5 mm (0.177")	AAKCM880AZQ
AAKCCB880AZB	BLOWBACK	1150g	215 mm	1.4 Joule Max	120 m/s Max	FULL METAL	17 rds.	6 mm (0.2g)	AAKCCM880AZQ

GUN SPRING SERIES
AAKAMZ 030



(also available in metal slide)



GUN SPRING SERIES
AAKAMZ 112



Spring Steel Gun



High Capacity Magazine



AIR GUN SERIES
AAKCMD 550

AIR SOFT SERIES
AAKCCD 550



AIR SOFT SERIES
AAKCCF 070



AIR GUN SERIES
AAKCMF 070



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKAMZ030AZB	SPRING COCKING	265g	196 mm	0.5 Joule Max	57 m/s Max	FULL ABS	16 rds. Per load	4.5 mm (0.177")	AAKAMS030AZL
AAKAMZ112AZB	SPRING COCKING	315g	219 mm	0.6 Joule Max	63 m/s Max	FULL ABS	16 rds. Per load	4.5 mm (0.177")	AAKAMS112AZL
AAKAMZ13AZB	SPRING COCKING	230g	219 mm	0.6 Joule Max	63 m/s Max	FULL ABS	16 rds. Per load	4.5 mm (0.177")	AAKAMS13AZL
AAKCMD550AZB	NON-BLOWBACK	530g	455 mm	2.5 Joule Max	120 m/s Max	FULL ABS	39 rds.	4.5 mm (0.177")	AAKCMS550AZQ
AAKCCD550AZB	NON-BLOWBACK	530g	455 mm	1.7 Joule Max	130 m/s Max	FULL ABS	26 rds.	6 mm (0.2g)	AAKCCS550AZQ
AAKCMF070AZB	BLOWBACK	2200g	355 mm	1.8 Joule Max	101 m/s Max	HALF METAL	24 rds.	4.5 mm (0.177")	AAKCMF070AZQ
AAKCCF070AZB	BLOWBACK	2200g	355 mm	1.5 Joule Max	122 m/s Max	HALF METAL	38 rds.	6 mm (0.2g)	AAKCCF070AZQ



AAKZZW134B

Holster Desert Camo



AAKZZW134A

Holster Black

AAKZZW134C

Holster Camo

AAKZZW006B

0.20g BB, 2000 counts BOTTLE



AAKZZW006A

0.12g BB, 2000 counts BOTTLE



AAKZZW080

4.5mm Steel BB, 2000 counts Grenade

AAKZZW033A

0.12g BB, 750 counts GRENADE shape



AAKZZW033B

0.20g BB, 750 counts GRENADE shape



AAKZZW041

Trap Target

AAKZZW035

Rubber Grip



AAKZZW070

PRECISION 0.2g BB, 2000 counts / BAG



AAKZZW042

CO2 12g Cartridge



AAKZZW046

Gel Target



AAKZZW047

3-Bull's eye multi-function auto trap target



SPRING COCKING



HOP UP FIXED

GUN SPRING SERIES **AAKACZ 120**



GUN SPRING SERIES **AAKACZ 090**



GUN SPRING SERIES **AAKACZ 114**



GUN SPRING SERIES **AAKACZ 260A**



GUN SPRING SERIES **AAKACZ 260B**



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKACZ120AZC	SPRING COCKING	840g	195 mm	0.5 Joule Max	70 m/s Max	HEAVY WEIGHT	14 rds.	6 mm(0.2g)	AAKACZ120AZT
AAKACZ090AZA	SPRING COCKING	360g	187 mm	0.5 Joule Max	70 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACZ090AZH
AAKACZ114AZA	SPRING COCKING	420g	220 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACZ110BZH
AAKACZ260AZC	SPRING COCKING	750g	222 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACZ260AZH
AAKACZ260BZC	SPRING COCKING	750g	222 mm	0.6 Joule Max	77 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACZ260BZH



AAKACZ 360



AAKACZ 370



AAKACZ 380



AAKACZ 113A



AAKACZ 113B



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKACZ360AZC	SPRING COCKING	1300g	795 mm	0.6 Joule Max	78 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	AAKACS360AZ1
AAKACZ370AZC	SPRING COCKING	1540g	798 mm	0.6 Joule Max	78 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	AAKACS360AZ1
AAKACZ380AZC	SPRING COCKING	1320g	684 mm	0.6 Joule Max	78 m/s Max	FULL ABS	350 rds.	6 mm(0.2g)	AAKACS360AZ1
AAKACZ113AZA	SPRING COCKING	360g	220 mm	0.6 Joule Max	78 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS110AZ1
AAKACZ113BZA	SPRING COCKING	360g	220 mm	0.6 Joule Max	78 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS110BZ1



AAKACZ 110A



AAKACZ 030A



AAKACZ 110B



AAKACZ 030B



AAKACZ 130A



AAKACZ 130B



AAKACZ 160A



AAKACZ 140A



AAKACZ 160B



AAKACZ 140B



MODEL	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	STANDARD BB	MAGAZINE
AAKACZ110AZA	SPRING COCKING	320g	215 mm	0.5 Joule Max	74 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS110AZ1
AAKACZ110BZA	SPRING COCKING	320g	215 mm	0.5 Joule Max	74 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS110BZ1
AAKACZ130AZA	SPRING COCKING	355g	215 mm	0.5 Joule Max	74 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS130AZ1
AAKACZ130BZA	SPRING COCKING	355g	215 mm	0.5 Joule Max	74 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS130BZ1
AAKACZ132AZA	SPRING COCKING	350g	215 mm	0.5 Joule Max	74 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS130AZ1
AAKACZ140AZA	SPRING COCKING	350g	217 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS140AZ1
AAKACZ140BZA	SPRING COCKING	350g	217 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS140BZ1
AAKACZ030AZA	SPRING COCKING	400g	200 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS030AZ1
AAKACZ030BZA	SPRING COCKING	400g	200 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS030BZ1
AAKACZ160AZA	SPRING COCKING	360g	200 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS160AZ1
AAKACZ160BZA	SPRING COCKING	360g	200 mm	0.6 Joule Max	79 m/s Max	FULL ABS	12 rds.	6 mm(0.2g)	AAKACS160BZ1